






**SECTION A-A** B7-1



**AUXILIARY VIEW D-D** D7-1



**SECTION B-B** B5-1



**SECTION C-C** B6-1


**D4805-1 END FITTING**

**NOTES:**


- 1) MATERIAL: 17-4 PH/S17400/TYPE 630 SS ROUND BAR, H900 CONDITION  
PER AMS 5643/ASTM A564  
DART SPEC M17-4-R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3.  
ENGRAVE P/N USING 0.11 HIGH LETTERS TO A MAX. DEPTH OF 0.010
- 7) WEIGHT: 0.13 lbs
- 8) LIQUID PENETRANT INSPECT PER QSI 038 6.1.1 (ASTM E1417 LEVEL 2)

APPROVED


A	NEW ISSUE	RF	13.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	HS	DRAWING NO.	REV. A
MFG. APPR.	JLM	<b>D4805</b>	SHEET 1 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	<b>END FITTING</b>	NTS
DATE	13.12.16	<small>COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




**SECTION E-E** B7-2



**AUXILIARY VIEW H-H** D7-2



**SECTION F-F** B5-2



**SECTION G-G** B6-2

**D4805-3 END FITTING**

**NOTES:**


- 1) MATERIAL: 17-4 PH/S17400/TYPE 630 SS ROUND BAR, H900 CONDITION  
PER AMS 5643/ASTM A564  
DART SPEC M17-4-R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3.  
ENGRAVE P/N USING 0.11 HIGH LETTERS TO A MAX. DEPTH OF 0.010
- 7) WEIGHT: 0.13 lbs
- 8) LIQUID PENETRANT INSPECT PER QSI 038 6.1.1 (ASTM E1417 LEVEL 2)

APPROVED


DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	HS	DRAWING NO. <b>D4805</b>
MFG. APPR.	JLM	REV. A SHEET 2 OF 3
APPROVED	HS	TITLE <b>END FITTING</b>
DE APPR.	DS	SCALE NTS
DATE	13.12.16	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

RELEASED  
2016-01-05  
wp




8 7 6 5 4 3 2 1




**SECTION I-I** B7-3



**AUXILIARY VIEW L-L** D8-3



**SECTION J-J** B6-3



**SECTION K-K** B6-3

**D4805-5 END FITTING**

**NOTES:**

- 1) MATERIAL: 17-4 PH/S17400/TYPE 630 SS ROUND BAR, H900 CONDITION  
PER AMS 5643/ASTM A564  
DART SPEC M17-4-R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.3.  
ENGRAVE P/N USING 0.11 HIGH LETTERS TO A MAX. DEPTH OF 0.010
- 7) WEIGHT: 0.14 lbs
- 8) LIQUID PENETRANT INSPECT PER QSI 038 6.1.1 (ASTM E1417 LEVEL 2)

APPROVED

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	HS	DRAWING NO.	REV. A
MFG. APPR.	JLM	<b>D4805</b>	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	<b>END FITTING</b>	NTS
DATE	13.12.16	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	